(Purely) coclosed G₂-structures on 2-step nilmanifolds

Viviana del Barco (Universidade Estadual de Campinas, Brazil)

joint work with Andrei Moroianu and Alberto Raffero

In Riemannian geometry, simply connected nilpotent Lie groups endowed with left-invariant metrics, and their compact quotients, have been the source of valuable examples in the field. This motivated several authors to study, in particular, left-invariant G₂-structures on 7-dimensional nilpotent Lie groups. These structures could also be induced to the associated compact quotients, also known as *nilmanifolds*.

Left-invariant torsion free G₂-structures, that is, defined by a simultaneously closed and coclosed positive 3-form, do not exist on nilpotent Lie groups. But relaxations of this condition have been the subject of study on nilmanifolds lately. One of them are coclosed G₂-structures, for which the defining 3-form verifies $d \star_{g_{\varphi}} \varphi = 0$, and more specifically, purely coclosed structures, which are defined as those which are coclosed and satisfy $\varphi \wedge d\varphi = 0$.

In this talk, there will be presented recent classification results regarding left-invariant coclosed and purely coclosed G_2 -structures on 2-step nilpotent Lie groups.

Our results are twofold. On the one hand we give the isomorphism classes of 2-step nilpotent Lie algebras admitting purely coclosed G_2 -structures. The analogous result for coclosed structures was obtained by Bagaglini, Fernández and Fino [Forum Math. 2018].

On the other hand, we focus on the question of *which metrics* on these Lie algebras can be induced by a coclosed or purely coclosed structure. We show that any left-invariant metric is induced by a coclosed structure, whereas every Lie algebra admitting purely coclosed structures admits metrics which are not induced by any such a structure. In the way of proving these results we obtain a method to construct purely coclosed G₂-structures. As a consequence, we obtain new examples of compact nilmanifolds carrying purely coclosed G₂-structures.